


Windows

Sash Window Pulleys


Axle Pulley



Axle Pulley

#	Wheel	
With 42mm Nylon Wheel		
BGG336	● Polished Brass	○ Nylon
CGG604	○ Chrome Plated	○ Nylon
CGG897	○ Satin Chrome	○ Nylon
CGG594	● Galvanised	○ Nylon
With 42mm Brass Wheel		
BGG337	● Polished Brass	● Brass

Anvil Ball Bearing Pulley




Anvil Ball Bearing Pulley

#	Wheel	Max Sash Weight
ANV83637	● Black	● Brass 75kg
ANV83648	● Beeswax	● Brass 75kg
ANV83641	● Antique Pewter	● Brass 75kg

Ball Bearing Pulley

Square End




Ball Bearing Pulley - Square

#	Wheel	Max Sash Weight
BGG580	● Polished Brass	● Brass 60kg
CGG667	○ Chrome Plated	○ Brass 60kg
CGG914	○ Satin Chrome	○ Brass 60kg

Ball Bearing Pulley

Radius End




Ball Bearing Pulley - Radius

#	Wheel	Max Sash Weight
BGG334	● Polished Brass	● Brass 60kg
CGG499	○ Chrome Plated	○ Brass 60kg
CGG816	○ Satin Chrome	○ Brass 60kg

Heavy-Duty Ball Bearing Pulley

Square End




Heavy-Duty Ball Bearing Pulley

#	Wheel	Max Sash Weight
50mm Body		
CGG668	○ Chrome Plated	○ Brass / Chrome 75kg
CGG913	○ Satin Chrome	○ Brass / Chrome 75kg
57mm Body		
CGG684	○ Chrome Plated	○ Brass / Chrome 75kg

Heavy-Duty Ball Bearing Pulley

Radius End



Heavy-Duty Ball Bearing Pulley

#	Wheel	Max Sash Weight
BGG546	● Polished Brass	● Brass 75kg

Waxed Cotton Sash Cord



Waxed Cotton Sash Cord - 10m

#	↔	Max Weight (SWL)
RJZ277	no.4	31kg
RJZ279	no.6	45kg

Waxed Cotton Sash Cord



Waxed Cotton Sash Cord - 100m

#	↔	Max Weight (SWL)
RJZ278	no.4	31kg
RJZ280	no.6	45kg

Sash Chain

We can also supply a range of suitable Sash Chain on request.

To learn even more about what we can supply, simply discuss your requirements with a member of our team.

 08001 613613

Sash Grabba

Makes installing and adjusting sash cord simple, easy and stress-free, whilst achieving a neater, more professional finish. Suitable for 6mm Sash Cord.

- One man operation
- Faster fitting time - an excellent time saver
- Eliminates the need for nails of sashes below 22lb/10kg
- Simply add No.4 (6mm) sash cord!




Sash Grabba

#
RHZ276

Lead Make Weights

1lb/450g Lead Make Weights - Perfect for building up the required weight for sash windows.



600mm Lead Weights

#	↔
RLZ275	45mm 1lbs / 450g

Lead Weights

600mm Long

- Lead Sash Weights supplied in 600mm lengths ready to be cut to suit your own specification
- Available in 32, 38, & 45mm widths



Lead Weights - 600mm Long

#	↔
RLZ2330	32mm 14lbs / 6.5kg
RLZ2331	38mm 20.1lbs / 9.25kg
RLZ2332	45mm 28.8lbs / 13.25kg

Please Note: All weights are approximate



Steel Weights

Steel Sash Weights provide a cost effective alternative to traditional lead sash weights.

- Pre-cut lengths in a variety of weights ready to suit your requirements
- Available in 40, 45 or 50mm widths
- From 6lb/2.7kg (225mm) to 32lb/14.5kg (800mm).



For up to date pricing on our sash weights, please get in touch.

Due to the regular fluctuations in the prices of lead and delivery charges, we ask that you get in touch with us in order for us to provide you with the fairest and most up to date price we can.

Simply discuss your requirements with our team of expert advisers and we'll do everything we can to help.

 08001 613613

Windows

Spiral Balances


For a free quotation tailored to suit your requirements, please get in touch.

Due to many variables that relate to Sash Windows, we offer a free quotation service based on your specific requirements, to ensure that you receive the correct balances to suit your individual project. Please give one of our expert advisers a call on 08001 613613 who will be happy to help with your request or simply complete the form on the next page and send it to us by fax or email.

'D' Type Spiral Sash Balances

Our range of 'D' type non-tensioned balances offer a light duty, economical and general purpose Spiral Sash Balance solution for both domestic and commercial applications. All 'D' type balances are easily adjustable within their weight range to suit actual glazed sash windows.

- Made in the UK
- Suitable for Timber & Aluminium windows up to 18kg (40lb)
- Stainless Steel Spiral Rods with White PVC-U outer tube - grey, brown, black, cream & caramel tubes available on request.
- All balances sold in pairs



'D' Balance	
Tube Diameter:	16mm
Groove Dimension:	17mm
Weight Groups:	D2: up to 15lb / D4: up to 30lb / D6: up to 40lb




For more information, or to request a tailored quote to suit your specific requirements, please give one of our expert advisers a call on 08001 613613.

'F' & 'K' Type Spiral Sash Balances

Our range of 'F' & 'K' type balances offer a general purpose Spiral Sash Balance solution for both domestic and commercial applications, which come supplied pre-tensioned for ease of fabrication and dual tension springs provide assisted lift even with heavier installations.

- Made in the UK
- Suitable for Timber & Aluminium windows
- 'F' Balances; suitable for sashes up to 27kg (60lb) and 'K' Balances; suitable for up to 50kg (110lb)
- Supplied pre-tensioned with dual tension springs and a semi-flexible outer tube
- Stainless Steel Spiral Rods with White PVC-U outer tube - grey, brown, black, cream & caramel tubes available on request.
- All balances sold in pairs



	'F' Balance	'K' Balance
Tube Diameter:	17mm	19mm
Groove Dimension:	18mm	21.5mm
Weight:	up to 60lb	up to 110lb



For more information, or to request a tailored quote to suit your specific requirements, please give one of our expert advisers a call on 08001 613613.

Ordering your Spiral Balances couldn't be easier!



Simply fill out this form with the required measurements to suit your specification and then send it back to us by fax or email. If you require any assistance calculating your sash balances, don't forget, we're here to help. Speak with one of our experienced sales advisers on 08001 613613, who will be happy to help with your request.

 **FREEFAX**
08006 888645

 **EMAIL**
sales@toolfixservices.com

Customer Name: _____
Contact Name: _____
Address: _____

Telephone: _____
Email: _____
Fax: _____
Your Order Number: _____
Date Required: _____



Required Measurements

- A:** Under the head onto the sill (inner sash)
- W:** Width of the sashes
- B:** Height of the top sash excluding horn (if any)
- C:** Height of the lower sash (inner)
- D:** From the top of the sash to the fixing position of the balance
- Size of the horns - only relevant to the top sash
- Glazing details - 4mm single glazed/8mm double glazed
- NOTE: 'A' must be less than 'B' + 'C' - don't include the frame in your measurements.

Window Ref.	Window Qty.	A	W	B	C	D	Size of Horns	Glazing Details
1.								
2.								
3.								
4.								
5.								
6.								
7.								
8.								
9.								
10.								

<p>Accessories required? Please specify</p> <p>Horn Channel and Side Fixings supplied as standard</p>
--

- Timber Type?** Soft Hard
- Balances to be housed in?** Sash Frame
- Colour of tubes required?** White Brown

Please note that all sash balances are manufactured to order using the measurements you supply us with on this form. Please make sure that all information supplied is correct. If you are unsure about any of the measurements required, please contact a member of our sales team. Returns may incur a restocking fee.

Other ways to order your sash balances...

 PDF Form available by fax/email

 Excel Spreadsheet available by email